
SCREWWORMS





Screwworm




Flies laying eggs, maggots feeding, destroying tissue and attracting more flies





Cochliomyia hominivorax larva "screwworm"


Why is it called "screwworm"?













New World screwworm life cycle









New World screwworm damage to livestock











Without human intervention, animals will not survive screwworm infestation


Feral cat trapped, euthanized for screwworm infestation. Maggots in ear canal



SCREWWORM ERADICATION USING THE STERILE INSECT TECHNIQUE

- Male flies from colony are sterilized using radiation (rendering their sperm inactive)
- Millions of sterile male flies are released by air over screwworm-infested areas
- Wild female screwworms mate with sterile males, becoming refractory to further mating

"Sterilization" refers to reproductive sterility, not to the elimination of microorganisms!



NWS SIT Eradication History Central American Eradication History








Screwworm larvae raised in USDA facility








SCREWWORM ERADICATION USING THE STERILE INSECT TECHNIQUE

- Male flies from colony are sterilized using radiation (rendering their sperm inactive)
- Millions of sterile male flies are released by air over screwworm-infested areas
- Wild female screwworms mate with sterile males, becoming refractory to further mating

"Sterilization" refers to reproductive sterility, not to the elimination of microorganisms!





Irradiation facility



Aerial Drops of Sterilized Screwworm Adults








The remarkable success of SIT (sterile insect technique) against the New World Screwworm is one of the great success stories in animal parasitology.

The eradication zone reached the Darien Gap in Panama and was maintained there for two decades.















Screwworm-infested deer in 'gory condition'

















New World screwworms Cochliomyia hominivorax (Diptera: Calliphoridae)

In the 1970's, it was reported that the NWS caused cattle deaths in excess of \$300 million/yr in Texas alone, and it has been estimated that the annual losses to the US livestock industry today without eradication would be >\$2 billion/yr.









Screwworms infest humans

CDC Confirms Screwworm Case in Maryland Traveler



WESTERN AG NETWORK





Screwworms are not in the U.S.
Pesticides are not the solution to screwworms
The Sterile Insect Technique is the proven method

